

SK	Číslo	Název 1	Mn.po p/v	MJ evidence
014	11	Ocel kruh. pr.6, S235JR	4 042,	kg
014	25	Ocel kruh. pr.6, 10505 žebr.	2 297,	kg
014	43	Ocel kruh. pr.8, 10505 žebr.	5 450,	kg
014	45	Ocel kruh. pr.8, S235JR	2 337,	kg
014	50	Ocel kruh. pr.10 mm	3 374,	kg
014	70	Ocel kruh. pr.10, B500B	8 468,	kg
014	90	Ocel kruh. pr.12 mm	47,	kg
014	110	Ocel kruh. pr.12, B500B	406,	kg
014	120	Ocel kruh. pr.12, S235JR	2 777,	kg
014	150	Ocel kruh. pr.14, B500B	2 271,	kg
014	155	Ocel kruh. pr.14 mm	4 586,	kg
014	160	Ocel kruh. pr.14, S235JR	1 794,	kg
014	210	Ocel kruh. pr.16, B500B	6 407,	kg
014	220	Ocel kruh. pr.16, S235JR	5 122,	kg
014	225	Ocel kruh. pr.16, S355J2	3 382,	kg
014	229	Ocel kruh. pr.18 mm	34 998,	kg
014	280	Ocel kruh. pr.20, S235JR	7 309,	kg
014	285	Ocel kruh. pr.20, S355J2	5 818,	kg
014	290	Ocel kruh. pr.22, S235JR	413,	kg
014	320	Ocel kruh. pr.24, S235JR	627,	kg
014	324	Ocel kruh. pr.24, S355J2	1 135,	kg
014	360	Ocel kruh. pr.25, B500B	70,	kg
014	370	Ocel kruh. pr.25, S235JR	3 573,	kg
014	380	Ocel kruh. pr.25, S355J2	5,	kg
014	381	Ocel kruh. pr.25, 5,7m, S355J2	12 175,	kg
014	420	Ocel kruh. pr.30, S235JR	4 794,	kg
014	421	Ocel kruh. pr.30, S355J2	4 789,	kg
014	435	Ocel kruh. pr.32, B500B	1 115,	kg
014	440	Ocel kruh. pr.35mm C55	835,	kg
014	450	Ocel kruh. pr.36, S355J2	102,	kg
014	458	Ocel kruh. pr.38, S235JR	292,	kg
014	470	Ocel kruh. pr.40, S355J2	1 937,	kg
014	472	Ocel kruh. pr.42, S355J2	2 921,	kg
014	475	Ocel kruh. pr.45, S235JR	28,	kg
014	476	Ocel kruh. pr.45, S355J2	1 260,	kg
014	478	Ocel kruh. pr.50, S235JR	6,	kg
014	605	Ocel kruh. pr.100, 42CrMo4	2 618,	kg
014	990	Ocel plochá 20/4, S235JR	910,	kg

014	1000	Ocel plocha 20/5, S235JR	5 437, kg
014	1040	Ocel plochá 20/8, S235JR	2 029, kg
014	1050	Ocel plochá 20/10, S235JR	1 191, kg
014	1053	Ocel plochá 20/12, S235JR	1 706, kg
014	1100	Ocel plocha 25/5, S235JR	1 136, kg
014	1200	Ocel plocha 25/6, S235JR	2 499, kg
014	1200	Ocel plochá 25/8, S235JR	866, kg
014	1280	Ocel plochá 30/3 S235JR	938, kg
014	1290	Ocel plochá 30/4, S235JR	1 339, kg
014	1291	Ocel plochá 30/4, S355J2	487, kg
014	1300	Ocel plochá 30/5, S235JR	7 760, kg
014	1350	Ocel plocha 30/6, S235JR	5 662, kg
014	1355	Ocel plocha 30/8, S235JR	3 612, kg
014	1371	Ocel plochá 30/10, S235JR	4 814, kg
014	1380	Ocel plochá 30/12, S235JR	161, kg
014	1400	Ocel plocha 35/5, S235JR	1 679, kg
014	1551	Ocel plochá 40/4, S235JR	3 497, kg
014	1600	Ocel plocha 40/5, S235JR	5 374, kg
014	1700	Ocel plocha 40/6, S235JR	1 248, kg
014	1750	Ocel plocha 40/8, S235JR	8 912, kg
014	1755	Ocel plochá 40/8, St52.3	2 880, kg
014	1760	Ocel plocha 40/10, S235JR	2 213, kg
014	1768	Ocel plochá 40/16, S235JR	648, kg
014	1769	Ocel plochá 40/20, S235JR	889, kg
014	1780	Ocel plochá 45/5, S235JR	1 287, kg
014	1800	Ocel plocha 50/5, S235JR	7 702, kg
014	1850	Ocel plochá 50/5, St52.3	4 010, kg
014	1900	Ocel plocha 50/6, S235JR	380, kg
014	1950	Ocel plocha 50/8, S235JR	4 991, kg
014	1955	Ocel plochá 50/8, S355J2	23, kg
014	2000	Ocel plocha 50/10, S235JR	303, kg
014	2006	Ocel plochá 50/15, S235JR	2 794, kg
014	2006	Ocel plochá 50/16, S235JR	38, kg
014	2009	Ocel plochá 60/4, S235JR	693, kg
014	2010	Ocel plochá 60/5, S235JR	3 274, kg
014	2011	Ocel plochá 60/5, St52.3	287, kg
014	2020	Ocel plocha 60/6, S235JR	1 999, kg
014	2025	Ocel plocha 60/8, S235JR	3 249, kg
014	2030	Ocel plocha 60/10, S235JR	2 040, kg

014	2040	Ocel plochá 60/12, S235JR	845,	kg
014	2044	Ocel plochá 60/20, St52.3	605,	kg
014	2090	Ocel plocha 70/5, S235JR	7 561,	kg
014	2095	Ocel plochá 70/6, S235JR	3 210,	kg
014	2100	Ocel plocha 70/8, S235JR	5 928,	kg
014	2150	Ocel plocha 70/10 S235JR	3 647,	kg
014	2155	Ocel plochá 70/10, S355J2	3 037,	kg
014	2304	Ocel plochá 70/40, S355J2	3 364,	kg
014	2308	Ocel plochá 80/5, S235JR	4 321,	kg
014	2309	Ocel plochá 80/6, S235JR	2 646,	kg
014	2310	Ocel plochá 80/8, S235JR	4 842,	kg
014	2315	Ocel plochá 80/8 S355	474,	kg
014	2320	Ocel plocha 80/10, S235JR	2 302,	kg
014	2334	Ocel plochá 80/20, S235JR	8 906,	kg
014	2349	Ocel plochá 80/40, S235JR	4 160,	kg
014	2350	Ocel plochá 90/5, S235JR	52,	kg
014	2353	Ocel plochá 90/10, S235JR	3 169,	kg
014	2353	Ocel plochá 90/12, S235JR	939,	kg
014	2353	Ocel plochá 90/10, S355J2	338,	kg
014	2354	Ocel plochá 100/5, S235JR	8 596,	kg
014	2354	Ocel plocha 100/6, S235JR	5 213,	kg
014	2355	Ocel plocha 100/8, S235JR	1 838,	kg
014	2360	Ocel plocha 100/10, S235JR	4 599,	kg
014	2361	Ocel plochá 100/12, S235JR	15,	kg
014	2362	Ocel plochá 100/15, S235JR	2 483,	kg
014	2363	Ocel plochá 100/20, S235JR	3 004,	kg
014	2365	Ocel plochá 110/6, S355J2	3 467,	kg
014	2365	Ocel plochá 110/6, S235JR	4,	kg
014	2365	Ocel plochá 110/10, S235JR	1 099,	kg
014	2365	Ocel plochá 110/8, S235JR	654,	kg
014	2366	Ocel plochá 120/5, S235JR	2 675,	kg
014	2367	Ocel plocha 120/6, S235JR	3 807,	kg
014	2368	Ocel plochá 120/8, S235JR	2 684,	kg
014	2369	Ocel plocha 120/10, S235JR	2 806,	kg
014	2369	Ocel plochá 120/10, S355J2	1 437,	kg
014	2372	Ocel plochá 130/6, S235JR	1 606,	kg
014	2373	Ocel plochá 130/10, S235JR	14,	kg
014	2380	Ocel plochá 140/8 S235JR	2 821,	kg
014	2383	Ocel plochá 140/15, S235JR	1 032,	kg

014	2385	Ocel plochá 150/8, S235JR	1 533,	kg
014	2385	Ocel plochá 140/10, S235JR	265,	kg
014	2385	Ocel plochá 150/5, S235JR	3 542,	kg
014	2386	Ocel plochá 150/10, S355J2	787,	kg
014	2386	Ocel plochá 150/10, S235JR	2 367,	kg
014	2395	Ocel plochá 200/8, S235JR	2 575,	kg
014	2470	Ocel čtvercova 10/10, S235JR	1 451,	kg
014	2480	Ocel čtvercova 12/12, S235JR	3 074,	kg
014	2485	Ocel čtvercová 14/14, S235JR	2 759,	kg
014	2487	Ocel čtvercová 16/16, S235JR	785,	kg
014	2490	Ocel čtvercová 20/20, S235JR	1 574,	kg
014	3000	Ocel uhelník 20/20/3, S235JR	1 429,	kg
014	3010	Ocel uhelník 25/25/3, S235JR	1 683,	kg
014	3015	Ocel uhelník 25/25/4, S235JR	55,	kg
014	3020	Ocel uhelník 30/30/3, S235JR	10 698,	kg
014	3030	Ocel uhelník 30/30/4, S235JR	963,	kg
014	3045	Ocel úhelník 35/35/3, S235JR	1 860,	kg
014	3050	Ocel uhelník 35/35/4, S235JR	2 708,	kg
014	3060	Ocel úhelník 40/40/3, S235JR	5 351,	kg
014	3070	Ocel uhelník 40/40/4, S235JR	13 966,	kg
014	3105	Ocel úhelník 50/30/5, S235JR	2 207,	kg
014	3109	Ocel uhelník 50/50/4, S235JR	420,	kg
014	3110	Ocel uhelník 50/50/4, S235JR	1 491,	kg
014	3120	Ocel uhelník 50/50/5, S235JR	12 066,	kg
014	3130	Ocel uhelník 50/50/6, S235JR	5 388,	kg
014	3134	Ocel úhelník 60/40/5, S235JR	4 017,	kg
014	3134	Ocel úhelník 60/40/6 S235JR	1 133,	kg
014	3135	Ocel úhelník 60/60/5, S235JR	4 835,	kg
014	3140	Ocel uhelník 60/60/6, S235JR	19 348,	kg
014	3150	Ocel uhelník 60/60/8, S235JR	1 082,	kg
014	3155	Ocel uhelník 70/70/6 S235JR	18 864,	kg
014	3160	Ocel úhelník 70/70/7, S235JR	267,	kg
014	3164	Ocel úhelník 70/70/8, 12,1m S235JR	34,	kg
014	3172	Ocel úhelník 80/40/6 12m S235JR	2 703,	kg
014	3173	Ocel úhelník 80/40/8, S235JR	74,	kg
014	3174	Ocel úhelník 80/60/8, S235JR	196,	kg
014	3180	Ocel uhelník 80/80/8, S235JR	4 561,	kg
014	3188	Ocel úhelník 80/80/10, S235JR	3 409,	kg
014	3195	Ocel úhelník 90/90/10 S235JR	4 858,	kg

014	3290	Ocel úhelník 90/60/8, S235JR	2 321,	kg
014	3307	Ocel úhelník 100/65/7 6,1m S355J2	756,	kg
014	3308	Ocel úhelník 100/65/7 6m S235JR	1 953,	kg
014	3405	Ocel uhelnik 100/100/6, S355J2	22 145,	kg
014	3420	Ocel uhelnik 100/100/8 S235JR	2 392,	kg
014	3430	Ocel uhelnik 100/100/10, S235JR	7 533,	kg
014	3450	Ocel úhelník 120/120/10 12,1m S355J2	4 665,	kg
014	3487	Ocel úhelník 140/140/13, S235JR	7 623,	kg
014	3490	Ocel úhelník 150/100/10 S235JR	4 702,	kg
014	3685	Ocel profil T 20/20/3, S235JR	1 005,	kg
014	3700	Ocel profil T 25/25/3,5, S235JR	1 196,	kg
014	3710	Ocel profil T 30/30/4, S235JR	1 839,	kg
014	3715	Ocel profil T 35/35/4,5, S235JR	982,	kg
014	3720	Ocel profil T 40/40/5, S235JR	3 858,	kg
014	3723	Ocel profil T 50/50/6, S235JR	1 971,	kg
014	3724	Ocel profil T 60/60/7, S235JR	340,	kg
014	8035	Sv. site KD37 5/5 150/150	3,	ks
014	8040	Sv. site KH20 6/6 150/150	471,	ks
014	8045	Sv. site KY50 8/8 150/150	162,	ks
014	8055	Sv. site KD35 5/5 100/100	194,	ks
014	8060	Sv. site KH30 6/6 100/100	901,	ks
014	8065	Sv. site KY49 8/8 100/100	253,	ks
014	11080	Oc.nosič I80 S235JR	105,	kg
014	11085	Oc.nosič IPE80 S235JR	9 663,	kg
014	11100	Oc.nosič I100 S235JR	93,	kg
014	11105	Oc.nosič IPE100 12,1m S235JR	3 874,	kg
014	11120	Oc.nosič I120 12,1m S235JR	331,	kg
014	11121	Oc.nosič I120 14,1m S235JR	28,	kg
014	11122	Oc.nosič I120 12,1m S355J2	4 930,	kg
014	11125	Oc.nosič IPE120 12,1m S235JR	2 544,	kg
014	11139	Oc.nosič I140 6,1m S235JR	1 938,	kg
014	11140	Oc.nosič I140 12,1m S235JR	345,	kg
014	11141	Oc.nosič I140 8m S235JR	364,	kg
014	11142	Oc.nosič I140 9m S235JR	300,	kg
014	11143	Oc.nosič IPE140 11m S235JR	1 069,	kg
014	11144	Oc.nosič IPE140 10m S235JR	4 735,	kg
014	11145	Oc.nosič IPE140 12,1m S235JR	2 814,	kg
014	11145	Oc.nosič IPE140 S355J2	423,	kg
014	11160	Oc.nosič I160 12,1m S235JR	2 056,	kg

014	11165	Oc.nosič IPE160 12,1m S235JR	6 873,	kg
014	11170	Oc.nosič IPE160 12,1m S355J2	3 405,	kg
014	11180	Oc.nosič I180 12,1m S235JR	4 738,	kg
014	11184	Oc.nosič IPE180 12,1m S235JR	6 596,	kg
014	11205	Oc.nosič IPE200 6,1m S235JR	302,	kg
014	11220	Oc.nosič I220 12,1m S235JR	1 125,	kg
014	11225	Oc.nosič IPE220 S235JR	348,	kg
014	11240	Oc.nosič I240 12,1m S235JR	872,	kg
014	11245	Oc.nosič IPE240 12,1m S235JR	356,	kg
014	11271	Oc.nosič IPE270 12,1m S355J2	572,	kg
014	11301	Oc.nosič I300 S275JR	206,	kg
014	12030	Oc.nosič U40x20x5 S235JR	1 057,	kg
014	12050	Oc.nosič U50 S235JR	417,	kg
014	12065	Oc.nosič U65 6m S235JR	1 624,	kg
014	12080	Oc.nosič U80 6m S235JR	477,	kg
014	12085	Oc.nosič U80 5m S355J2	1 653,	kg
014	12086	Oc.nosič U80 6,1m S355J2	473,	kg
014	12100	Oc.nosič U100 S235JR	20 015,	kg
014	12119	Oc.nosič U120 6,1m S235JR	2 118,	kg
014	12139	Oc.nosič U140 6,1m S235JR	11 036,	kg
014	12140	Oc.nosič U140 12,1m S235JR	2 083,	kg
014	12159	Oc.nosič U160 6,1m S235JR	49,	kg
014	12160	Oc.nosič U160 12,1m S235JR	8 962,	kg
014	12164	Oc.nosič U160 10m S235JR	907,	kg
014	12166	Oc.nosič U160 11m S235JR	611,	kg
014	12180	Oc.nosič U180 12,1m S235JR	5 876,	kg
014	12181	Oc.nosič U180 10m S355J2	5 730,	kg
014	12200	Oc.nosič U200 S235JR	8 056,	kg
014	12222	Oc.nosič U220 12,1m S275JR	5 025,	kg
014	12240	Oc.nosič U240 S235JR	529,	kg
014	12248	Oc.nosič U240 S355J2	7,	kg
014	12260	Oc.nosič U260 S235JR	687,	kg
014	12300	Oc.nosič U300 S235JR	4 424,	kg
014	12401	Oc.nosič U400 12,1m S355J2	3,	kg
014	13180	Oc.nosič HEA180 S235JR	216,	kg
014	14220	Oc.nosič HEB220 S235JR	330,	kg
014	19500	Sloupek 280/43/2	1,	ks
014	20000	Návin PVC 1,4mm/50m	13,	ks
014	21280	Tažený oc.drát pr.2,8 mm, dl. 1,5m	66,	kg

014	21290	Tažený oc.drát pr.3 mm, dl. 1,7m	373,	kg
014	21300	Tažený oc.drát pr.3,15 mm	1 708,	kg
014	21315	Tažený oc.drát pr.3,8 mm	635,	kg
014	21320	Tažený oc.drát pr.4,5 mm	167,	kg
014	111425	Oc.nosič I140 12,1m S355J2	4 145,	kg
030	313	Oc.pl. 1/1000/2000 DC04	381,	kg
030	320	Oc.pl. 1/1250/2500 DC01	4 730,	kg
030	325	Oc.pl. 1/1500/3000 DC01	5 613,	kg
030	330	Oc.pl. 1,2/1250/2500 DC01	11 880,	kg
030	335	Oc.pl. 1,25/1250/2500 DC01	1 883,	kg
030	336	Oc.pl. 1,25/1500/3000 DC01	5 964,	kg
030	410	Oc.pl. 1,3/1000/2000 DC01	16 699,	kg
030	415	Oc.pl. 1,3/1250/2500 DC01	20 195,	kg
030	420	Oc.pl. 1,3/1500/3000 DC01	20 608,	kg
030	590	Oc.pl. 1,5/1250/2000 DC01	31 200,	kg
030	599	Oc.pl. 1,5/1000/2000 DC01	22 384,	kg
030	600	Oc.pl. 1,5/1250/2500 DC01	6 180,	kg
030	620	Oc.pl. 1,5/1500/3000 DC01	42 500,	kg
030	1990	Oc.pl. 2/1000/2000 DC01	18 822,	kg
030	2001	Oc.pl. 2/1000/2000 S235JRC+N	5 338,	kg
030	2050	Oc.pl. 2/1250/2500 S235JR	9 698,	kg
030	2100	Oc.pl. 2/1250/2500 DC01	43 110,	kg
030	2200	Oc.pl. 2/1500/3000 DC01 reklamace	71,	kg
030	2201	Oc.pl. 2/1500/3000 DC01	63 475,	kg
030	2203	Oc.pl. 2/1500/3000 DC01 poškozené	7 776,	kg
030	2300	Oc.pl. 2/1500/3000 S235JR+N	4 994,	kg
030	2455	Oc.pl. 2,5/1000/2000 S235JR+N	12 458,	kg
030	2600	Oc.pl. 2,5/1250/2500 S235JR+N	9 696,	kg
030	3000	Oc.pl. 3/1000/2000 S235JR+N	26 537,	kg
030	3050	Oc.pl. 3/1000/2000 S355J2C+N	15 440,	kg
030	3101	Oc.pl. 3/1250/2500 S235JR+N	55 848,	kg
030	3406	Oc.pl. 3/2000/6000 S235JR+AR	792,	kg
030	3449	Oc.pl. 3/1500/3000 DC01	25 246,	kg
030	3452	Oc.pl. 3/1500/3000 S235JR+N	45 241,	kg
030	3501	Oc.pl. 3/1500/3000 S355MC	15 966,	kg
030	3503	Oc.pl. 3/1500/3000 S355J2C+N	7 076,	kg
030	3601	Oc.pl. 3/1500/6000 S235JR+N	24 486,	kg
030	3601	Oc.pl. 3/2000/6000 S235JR+N	1 126,	kg
030	3605	Oc.pl. 3/2000/6000 S355J2+N	7 066,	kg

030	3820	Oc.pl. 3,8/1250/2500 S235JRC+N	357,	kg
030	4065	Oc.pl. 4/1250/2500 S235JR+N	23 098,	kg
030	4315	Oc.pl. 4/1500/3000 S235JR+N	90 554,	kg
030	4320	Oc.pl. 4/1500/3000 S355J2+N	4 070,	kg
030	4321	Oc.pl. 4/1500/3000 S355MC	15 328,	kg
030	4400	Oc.pl. 4/2000/6000 S235JRC+N	6 704,	kg
030	4470	Oc.pl. 4,5/1500/2660 S235JR+N	4 412,	kg
030	4501	Oc.pl. 4/2000/4000 S355J2+N	16 618,	kg
030	4505	Oc.pl. 4/2000/6000 S355J2+N	30 982,	kg
030	4506	Oc.pl. 4/2000/6000 S355MC	21 091,	kg
030	4601	Oc.pl. 4/1500/6000 S235JR+N	23 219,	kg
030	4701	Oc.pl.mořený 4/1500/3000 S235JR+N	432,	kg
030	5151	Oc.pl. 5/1250/2500 S235JR+N	10 776,	kg
030	5170	Oc.pl. 5/1250/2500 S355J2C+N	8 023,	kg
030	5253	Oc.pl. 5/1500/3000 S235JR+N	36 410,	kg
030	5326	Oc.pl. 5/1500/6000 S235JR+N	17 680,	kg
030	5355	Oc.pl. 5/2000/4434 S235JR+N	348,	kg
030	5360	Oc.pl. 5/2000/5000 S235JR+N	393,	kg
030	5400	Oc.pl. 5/2000/4000 S235JR+N	105 413,	kg
030	5403	Oc.pl. 5/2000/6000 S235JR+N	37 522,	kg
030	5412	Oc.pl. 5/2000/12000 S235JR+N	942,	kg
030	5425	Oc.pl. 5/2500/12000 S235JR+N	34 520,	kg
030	5501	Oc.pl. 5/2000/4000 S355J2+N	36 498,	kg
030	5503	Oc.pl. 5/2000/3160 S355J2+N	248,	kg
030	5507	Oc.pl. 5/2000/6000 S355MC	248,	kg
030	5510	Oc.pl. 5/2000/12000 S355J2+N	17 435,	kg
030	5525	Oc.pl. 5/2500/12000 S355J2+N	27 898,	kg
030	5711	Oc.pl.mořený 5/1500/3000 S355MC	8 440,	kg
030	5915	Oc.pl. 5,9/1500/3000 S355MC	3 108,	kg
030	6001	Oc.pl. 6/1000/2000 S235JR+N	38 406,	kg
030	6121	Oc.pl. 6/1000/2000 S355J2C+N	11 470,	kg
030	6150	Oc.pl. 6/1250/2500 S235JR+N	2 028,	kg
030	6180	Oc.pl. 6/1250/2500 S355J2C+N	48,	kg
030	6201	Oc.pl. 6/1500/3000 S235JR+N	17 123,	kg
030	6331	Oc.pl. 6/1500/3000 S355MC	33 866,	kg
030	6332	Oc.pl. 6/1500/3000 S355J2C+N	6 306,	kg
030	6333	Oc.pl.mořený 6/1500/3000 S355MC	432,	kg
030	6351	Oc.pl. 6/1500/6000 S355J2C+N	382,	kg
030	6354	Oc.pl. 6/1500/6000 S355MC	5 358,	kg



030	6399	Oc.pl. 6/2000/4000 S235JR+N	8 229, kg
030	6404	Oc.pl. 6/2000/6000 S235JR+N kvarto	565, kg
030	6405	Oc.pl. 6/2000/6000 S235JR+N	85 411, kg
030	6411	Oc.pl. 6/2000/12000 S235JR	22 870, kg
030	6412	Oc.pl. 6/2000/12000 S235JR+N	6 780, kg
030	6417	Oc.pl. 6/2000/6000 P355GH	1 695, kg
030	6418	Oc.pl. 6/2250/7500 S235J2+N zlomená	795, kg
030	6419	Oc.pl. 6/2250/8000 S235J2+N	848, kg
030	6426	Oc.pl. 6/2500/12000 S235JR+N	77 007, kg
030	6455	Oc.pl. 6/3000/12000 S235JR+N	18 656, kg
030	6500	Oc.pl. 6/2000/6000 S355J2+N	565, kg
030	6501	Oc.pl. 6/2000/4000 S355J2+N	40 802, kg
030	6505	Oc.pl. 6/2000/6000 S355J2+N	32 985, kg
030	6510	Oc.pl. 6/2000/12000 S355J2+N	27 277, kg
030	6515	Oc.pl. 6/2400/7000 S355J2+N	791, kg
030	6525	Oc.pl. 6/2500/12000 S355J2+N	20 461, kg
030	6530	Oc.pl. 6/3000/12000 S355J2+N	30 528, kg
030	8101	Oc.pl. 8/1000/2000 S235JR+N	14 174, kg
030	8155	Oc.pl. 8/1250/2500 S355J2+N	142, kg
030	8200	Oc.pl. 8/1500/3000 S235JR+N	3 636, kg
030	8223	Oc.pl. 8/1500/6000 S235JR+N	2 260, kg
030	8321	Oc.pl. 8/1500/3000 S355MC	36 634, kg
030	8322	Oc.pl. 8/1500/3000 S355J2+N kvarto	283, kg
030	8323	Oc.pl. 8/1500/3000 S355J2+N	3 957, kg
030	8331	Oc.pl. 8/1500/6000 S355J2C+N	1 412, kg
030	8333	Oc.pl. 8/1500/6000 S355MC kvarto	1 130, kg
030	8405	Oc.pl. 8/2000/6000 S235JR+N	26 715, kg
030	8408	Oc.pl. 8/2050/6000 S235JR+N	772, kg
030	8410	Oc.pl. 8/2000/12000 S235JR+N	20 332, kg
030	8411	Oc.pl. 8/2000/12000 S235JR+N	1 536, kg
030	8416	Oc.pl. 8/2000/6000 P265GH	398, kg
030	8418	Oc.pl. 8/2050/12000 S235JR+N	14 918, kg
030	8423	Oc.pl. 8/2500/10000 S235JR+N	1 570, kg
030	8425	Oc.pl. 8/2500/12000 S235JR+N	46 629, kg
030	8450	Oc.pl. 8/3000/6000 S235JR+N	32 770, kg
030	8455	Oc.pl. 8/3000/12000 S235JR+N	45 220, kg
030	8504	Oc.pl. 8/2000/6000 S355J2+N	22 735, kg
030	8505	Oc.pl. 8/2000/6000 S355J2+N	29 028, kg
030	8510	Oc.pl. 8/2000/12000 S355J2+N	23 730, kg

030	8511	Oc.pl. 8/2000/12000 S355J2+N	2,	kg
030	8512	Oc.pl. 8/2000/4000 S355J2+N	23 444,	kg
030	8515	Oc.pl. 8/2000/6000 S355MC	576,	kg
030	8516	Oc.pl. 8/2000/12000 S355MC	6 238,	kg
030	8517	Oc.pl. 8/2000/12000 S355MC svitek	42 214,	kg
030	8518	Oc.pl. 8/2050/12000 S355J2+N	23,	kg
030	8519	Oc.pl. 8/2050/6000 S355NL bez atestu	2 361,	kg
030	8520	Oc.pl. 8/2270/9750 S355J2+N	1 390,	kg
030	8521	Oc.pl. 8/2500/4600 S355J2+N	1 444,	kg
030	8522	Oc.pl. 8/2500/10000 S355J2+N	1 570,	kg
030	8525	Oc.pl. 8/2500/12000 S355J2+N	27 475,	kg
030	8550	Oc.pl. 8/3000/6000 S355J2+N	2 260,	kg
030	8555	Oc.pl. 8/3000/12000 S355J2+N	49 742,	kg
030	10321	Oc.pl. 10/1500/3000 S355MC	1 332,	kg
030	10332	Oc.pl. 10/1500/6000 S355J2+N kvarto	353,	kg
030	10335	Oc.pl. 10/1500/6000 S355MC kvarto	3 500,	kg
030	10390	Oc.pl. 10/1900/6000 S355J2+N	895,	kg
030	10402	Oc.pl. 10/2000/4000 S235JR+N	8 756,	kg
030	10404	Oc.pl. 10/2000/6000 S235JR+N svitek	16 080,	kg
030	10410	Oc.pl. 10/2000/12000 S235JR+N	3 189,	kg
030	10411	Oc.pl. 10/2000/12000 S235JRC+AR	960,	kg
030	10425	Oc.pl. 10/2500/12000 S235JR+N	27 866,	kg
030	10455	Oc.pl. 10/3000/12000 S235JR+N	55 107,	kg
030	10500	Oc.pl. 10/2000/4000 S355J2+N	532,	kg
030	10505	Oc.pl. 10/2000/6000 S355J2+N	1 848,	kg
030	10510	Oc.pl. 10/2000/12000 S355J2+N	13 816,	kg
030	10512	Oc.pl. 10/2000/12000 S355MC	1 884,	kg
030	10523	Oc.pl. 10/2500/5000 S355J2+N	4,	kg
030	10524	Oc.pl. 10/2500/12000 S355MC	4 710,	kg
030	10525	Oc.pl. 10/2500/12000 S355J2+N	25 881,	kg
030	10540	Oc.pl. 10/2800/6000 P265GH	2 638,	kg
030	10550	Oc.pl. 10/2000/6000 P355NL1	1 884,	kg
030	10555	Oc.pl. 10/3000/12000 S355J2+N	942,	kg
030	10560	Oc.pl. 10/3000/12500 S355J2+N	3,	kg
030	12000	Oc.pl. 12/1000/2000 S235JR+N	11 720,	kg
030	12150	Oc.pl. 12/1500/3000 S235JR+N Kvarto	1 273,	kg
030	12152	Oc.pl. 12/1500/3000 S235JRC+N kvarto	1 272,	kg
030	12181	Oc.pl. 12/1500/3000 S355MC	10 692,	kg
030	12185	Oc.pl. 12/1500/4000 S355J2C+N kvarto	565,	kg

030	12200	Oc.pl. 12/1500/6000 S235JR+N	1 696,	kg
030	12404	Oc.pl. 12/2000/6000 S235JR+N	1 695,	kg
030	12405	Oc.pl. 12/2000/6000 S235JR+N	383,	kg
030	12410	Oc.pl. 12/2000/12000 S235JR+N	296,	kg
030	12417	Oc.pl. 12/2500/12000 P265GH	5 652,	kg
030	12422	Oc.pl. 12/2500/8000 S235JR+N	5 652,	kg
030	12423	Oc.pl. 12/2450/12000 S235JR+N	813,	kg
030	12425	Oc.pl. 12/2500/12000 S235JR+N	11 247,	kg
030	12455	Oc.pl. 12/3000/12000 S235JR+N	52 137,	kg
030	12500	Oc.pl. 12/2000/4000 S355J2+N	21 796,	kg
030	12505	Oc.pl. 12/2000/6000 S355J2+N	33 575,	kg
030	12510	Oc.pl. 12/2000/12000 S355J2+N	48 999,	kg
030	12513	Oc.pl. 12/2000/12000 S355MC kvarto	11 262,	kg
030	12523	Oc.pl. 12/2450/12000 S355J2+N	5 538,	kg
030	12525	Oc.pl. 12/2500/12000 S355J2+N	3 909,	kg
030	12555	Oc.pl. 12/3000/12000 S355J2+N	2 334,	kg
030	14410	Oc.pl. 14/2000/12000 S235JR+N	1 492,	kg
030	14411	Oc.pl. 14/2000/12000 S235JR+N	3 957,	kg
030	14503	Oc.pl. 14/2000/5500 S355J2+N	2 418,	kg
030	14505	Oc.pl. 14/2000/6000 S355J2+N	3 965,	kg
030	14510	Oc.pl. 14/2000/12000 S355J2+N	10 502,	kg
030	14520	Oc.pl. 14/2200/5000 S355J2+N	1 209,	kg
030	14600	Oc.pl. 14,8/1000/2000 S235JRC+N	1 400,	kg
030	14700	Oc.pl. 14,9/1500/3000 S235JR+N	29 186,	kg
030	14800	Oc.pl. 14,99/1500/3000 S355MC	17 727,	kg
030	15040	Oc.pl. 15/1000/2000 S235JR+N	11 822,	kg
030	15101	Oc.pl. 15/1500/3000 S235JR+N	19 252,	kg
030	15155	Oc.pl. 15/1500/6000 S355J2+N	16 910,	kg
030	15200	Oc.pl. 15/1500/12000 S235JR+N	2 120,	kg
030	15251	Oc.pl. 15/1500/6000 S235JR+N	5 830,	kg
030	15401	Oc.pl. 15/2000/4000 S235JR+N	942,	kg
030	15405	Oc.pl. 15/2000/6000 S235JR+N	6 732,	kg
030	15410	Oc.pl. 15/2000/12000 S235JR+N	21 085,	kg
030	15424	Oc.pl. 15/2450/12000 S275J2+N	21 168,	kg
030	15425	Oc.pl. 15/2500/12000 S235JR+N	21 197,	kg
030	15455	Oc.pl. 15/3000/12000 S235JR+N	28 620,	kg
030	15505	Oc.pl. 15/2000/6000 S355J2+N	24 700,	kg
030	15525	Oc.pl. 15/2500/12000 S355J2+N	1 768,	kg
030	15655	Oc.pl. 15/3000/12000 S355J2+N	21 714,	kg

030	16155	Oc.pl. 16/1500/6000 S355J2+N	20 340,	kg
030	16410	Oc.pl. 16/2000/12000 S235JR+N	27 879,	kg
030	16430	Oc.pl. 16/2500/8000 P265GH	2 512,	kg
030	16502	Oc.pl. 16/2000/4900 P265GH	1 231,	kg
030	16505	Oc.pl. 16/2000/6000 S355J2+N	18 374,	kg
030	16525	Oc.pl. 16/2500/12000 S355J2+N	45 283,	kg
030	16555	Oc.pl. 16/3000/12000 S355J2+N	6 235,	kg
030	16560	Oc.pl. 16/2000/6000 P355NL1	1 507,	kg
030	16605	Oc.pl. 16/2000/6000 S460N	1 507,	kg
030	18410	Oc.pl. 18/2000/12000 S235JR+N	10 019,	kg
030	18507	Oc.pl. 18/2000/5400 S355J2+N	30,	kg
030	18508	Oc.pl. 18/2000/7300 S355J2+N x8	12 536,	kg
030	18510	Oc.pl. 18/2000/12000 S355J2+N	26 763,	kg
030	18523	Oc.pl. 18/2500/9800 P355GH	3 462,	kg
030	18525	Oc.pl. 18/2500/12000 S355J2+N	33 912,	kg
030	18526	Oc.pl. 18/2700/9030 S355J2+N	3 445,	kg
030	18527	Oc.pl. 18/2750/5500 S355J2+N	2 137,	kg
030	18530	Oc.pl. 18/2900/5000 S355J2+N	3 073,	kg
030	20250	Oc.pl. 20/1500/6000 S235JR+N	8 476,	kg
030	20401	Oc.pl. 20/2000/4000 S235JR+N	20 096,	kg
030	20405	Oc.pl. 20/2000/6000 S235JR+N	7 823,	kg
030	20410	Oc.pl. 20/2000/12000 S235JR+N	299,	kg
030	20411	Oc.pl. 20/2000/12000 S235JR+N vážený	1 042,	kg
030	20416	Oc.pl. 20/2000/12000 P265GH	11 680,	kg
030	20425	Oc.pl. 20/2500/12000 S235JR+N	30 615,	kg
030	20455	Oc.pl. 20/3000/12000 S235JR+N	41 986,	kg
030	20495	Oc.pl. 20/1500/6000 S355MC	27 551,	kg
030	20504	Oc.pl. 20/1500/6000 S355J2+N	14 576,	kg
030	20505	Oc.pl. 20/2000/6000 S355J2+N	15 978,	kg
030	20510	Oc.pl. 20/2000/12000 S355J2+N	98 255,	kg
030	20511	Oc.pl. 20/2000/12000 S355J2+N	7 921,	kg
030	20512	Oc.pl. 20/2000/12000 S355MC	52 124,	kg
030	20525	Oc.pl. 20/2500/12000 S355J2+N	31 169,	kg
030	20527	Oc.pl. 20/2000/6000 S420ML	1 884,	kg
030	20529	Oc.pl. 20/2000/6000 S460N	3 768,	kg
030	20555	Oc.pl. 20/3000/12000 S355J2+N	70 650,	kg
030	22410	Oc.pl. 22/2000/12000 S235JR+N	12 443,	kg
030	22510	Oc.pl. 22/2000/12000 S355J2+N	17 299,	kg
030	24505	Oc.pl. 24/2000/6000 S355J2+N	2 261,	kg

030	24510	Oc.pl. 24/2000/12000 S355J2+N	9 620,	kg
030	25200	Oc.pl. 25/2000/12000 P265GH	16 800,	kg
030	25403	Oc.pl. 25/1500/3000 S235JR+N	4 415,	kg
030	25404	Oc.pl. 25/1500/6000 S235JR+N	45 877,	kg
030	25406	Oc.pl. 25/2000/6000 S235JR+N x8	2 400,	kg
030	25410	Oc.pl. 25/2000/12000 S235JR+N	27 760,	kg
030	25424	Oc.pl. 25/2450/12000 S275J2+N x8	47 040,	kg
030	25425	Oc.pl. 25/2500/12000 S235JR+N	13 937,	kg
030	25445	Oc.pl. 25/2900/12000 S235JR+N	6 830,	kg
030	25455	Oc.pl. 25/3000/12000 S235JR+N	39 159,	kg
030	25503	Oc.pl. 25/1500/3000 S355J2+N	28 256,	kg
030	25504	Oc.pl. 25/1500/6000 S355J2+N	8 830,	kg
030	25505	Oc.pl. 25/2000/6000 S355J2+N	15 867,	kg
030	25510	Oc.pl. 25/2000/12000 S355J2+N	148 782,	kg
030	25525	Oc.pl. 25/2500/12000 S355J2+N	52 992,	kg
030	25555	Oc.pl. 25/3000/12000 S355J2+N	45 533,	kg
030	26510	Oc.pl. 26/2000/12000 S355J2+N	4 898,	kg
030	28505	Oc.pl. 28/2000/6000 S355J2+N	6 595,	kg
030	28510	Oc.pl. 28/2000/12000 S355J2+N	5 674,	kg
030	30350	Oc.pl. 30/1900/12000 S235JR+N	2 684,	kg
030	30404	Oc.pl. 30/1500/6000 S235JR+N	1 060,	kg
030	30405	Oc.pl. 30/2000/6000 S235JR+N	11 721,	kg
030	30407	Oc.pl. 30/2000/3000 S235JR+N	1 413,	kg
030	30410	Oc.pl. 30/2000/12000 S235JR+N	3 660,	kg
030	30455	Oc.pl. 30/3000/12000 S235JR+N	9 890,	kg
030	30503	Oc.pl. 30/1500/3000 S355J2+N	30 740,	kg
030	30504	Oc.pl. 30/1500/6000 S355J2+N	31 800,	kg
030	30505	Oc.pl. 30/2000/6000 S355J2+N	3 891,	kg
030	30511	Oc.pl. 30/2000/12000 S355J2+N	528,	kg
030	30518	Oc.pl. 30/2000/12000 P265GH	21 156,	kg
030	30525	Oc.pl. 30/2500/12000 S355J2+N	58 712,	kg
030	30555	Oc.pl. 30/3000/12000 S355J2+N	65 717,	kg
030	32510	Oc.pl. 32/2000/12000 S355J2+N	9 544,	kg
030	35405	Oc.pl. 35/2000/6000 S235JR+N	1 648,	kg
030	35410	Oc.pl. 35/2000/12000 S235JR+N	20 240,	kg
030	35505	Oc.pl. 35/2000/6000 S355J2+N	17 457,	kg
030	35510	Oc.pl. 35/2000/12000 S355J2+N	136 825,	kg
030	35525	Oc.pl. 35/2500/12000 S355J2+N	47 987,	kg
030	35555	Oc.pl. 35/3000/12000 S355J2+N	2 473,	kg

030	36510	Oc.pl. 36/2000/12000 S355J2+N	16 956,	kg
030	40405	Oc.pl. 40/2000/6000 S235JR+N	28 122,	kg
030	40410	Oc.pl. 40/2000/12000 S235JR+N	36 887,	kg
030	40425	Oc.pl. 40/2500/12000 S235JR+N	47 100,	kg
030	40444	Oc.pl. 40/3000/10000 S235JR+N	3 768,	kg
030	40445	Oc.pl. 40/2900/4000 S235JR+N	3 642,	kg
030	40455	Oc.pl. 40/3000/12000 S235JR+N	11 304,	kg
030	40505	Oc.pl. 40/2000/6000 S355J2+N	17 996,	kg
030	40510	Oc.pl. 40/2000/12000 S355J2+N	6 515,	kg
030	40518	Oc.pl. 40/1850/6000 S355J2+N	3 485,	kg
030	40519	Oc.pl. 40/1850/12000 S355J2+N	13 942,	kg
030	40525	Oc.pl. 40/2500/12000 S355J2+N	13 950,	kg
030	40550	Oc.pl. 40/3000/10000 S355J2+N	3 768,	kg
030	45505	Oc.pl. 45/2000/6000 S355J2+N	36,	kg
030	45510	Oc.pl. 45/2000/12000 S355J2+N	10 211,	kg
030	45530	Oc.pl. 45/2020/6000 S690QL	4 281,	kg
030	50405	Oc.pl. 50/2000/6000 S235JR+N	18 840,	kg
030	50406	Oc.pl. 50/2000/6000 P265GH	4 710,	kg
030	50410	Oc.pl. 50/2000/12000 S235JR+N	37 680,	kg
030	50450	Oc.pl. 50/3000/6000 S235JR+N	8 635,	kg
030	50501	Oc.pl. 50/1500/6000 S355J2+N	1 044,	kg
030	50505	Oc.pl. 50/2000/6000 S355J2+N	43,	kg
030	50520	Oc.pl. 50/2500/6000 S355J2+N	245,	kg
030	50549	Oc.pl. 50/3000/9500 S355J2+N	22 372,	kg
030	50550	Oc.pl. 50/3000/6000 S355J2+N	49 455,	kg
030	50555	Oc.pl. 50/3000/12000 S355J2+N	56 520,	kg
030	50556	Oc.pl. 50/3000/8000 S355J2+N	9 420,	kg
030	55410	Oc.pl. 55/2000/12000 S235JR+N	7 786,	kg
030	55509	Oc.pl. 55/2000/11940 S355J2+N	2 537,	kg
030	55510	Oc.pl. 55/2000/12000 S355J2+N	35 205,	kg
030	55523	Oc.pl. 55/2500/6000 S355J2+N	9 714,	kg
030	55525	Oc.pl. 55/2500/12000 S355J2+N	19 429,	kg
030	55550	Oc.pl. 55/3000/6000 S355J2+N	23 316,	kg
030	60410	Oc.pl. 60/2000/12000 S235JR+N	942,	kg
030	60505	Oc.pl. 60/2000/6000 S355J2+N	11 304,	kg
030	60525	Oc.pl. 60/2500/6000 S355J2+N	3 581,	kg
030	60535	Oc.pl. 60/2500/12000 S355J2+N	2 060,	kg
030	60545	Oc.pl. 60/3000/6000 S355J2+N	19 074,	kg
030	65505	Oc.pl. 65/2000/6000 S355J2+N	3 002,	kg

030	65510	Oc.pl. 65/2000/12000 S355J2+N	31 635,	kg
030	65525	Oc.pl. 65/2500/6000 S355J2+N	17 859,	kg
030	65548	Oc.pl. 65/3000/8000 S355J2+N	12 246,	kg
030	70405	Oc.pl. 70/2000/6000 S235JR+N	5 495,	kg
030	70410	Oc.pl. 70/2000/12000 S235JR+N	43 834,	kg
030	70505	Oc.pl. 70/2000/6000 S355J2+N	26 969,	kg
030	70510	Oc.pl. 70/2000/12000 S355J2+N	85 686,	kg
030	70530	Oc.pl. 70/2500/10000 S355J2+N	27 476,	kg
030	70555	Oc.pl. 70/3000/6000 S355J2+N	19 782,	kg
030	75510	Oc.pl. 75/2000/12000 S355J2+N	17 074,	kg
030	80410	Oc.pl. 80/2000/12000 S235JR+N	18 840,	kg
030	80425	Oc.pl. 80/2500/6000 S235JR+N	37 680,	kg
030	80505	Oc.pl. 80/2000/6000 S355J2+N	26 328,	kg
030	80510	Oc.pl. 80/2000/12000 S355J2+N	8 768,	kg
030	80519	Oc.pl. 80/2450/5700 S355J2+N	26 310,	kg
030	80520	Oc.pl. 80/2450/6000 S355J2+N	36 928,	kg
030	80545	Oc.pl. 80/3000/6000 S355J2+N	16 956,	kg
030	85510	Oc.pl. 85/2000/12000 S355J2+N	47 774,	kg
030	90505	Oc.pl. 90/2000/6000 S355J2+N	33 859,	kg
030	90508	Oc.pl. 90/2000/8000 S355J2+N	11 304,	kg
030	90519	Oc.pl. 90/2450/5100 S355J2+N	35 312,	kg
030	90525	Oc.pl. 90/2500/6000 S355J2+N	21 196,	kg
030	90550	Oc.pl. 90/3000/6000 S355J2+N	21 195,	kg
030	95510	Oc.pl. 95/2000/12000 S355J2+N	35 796,	kg
030	100405	Oc.pl. 100/2000/6000 S235JR+N	1 600,	kg
030	100521	Oc.pl. 100/2450/4600 S355J2+N	5 000,	kg
030	100525	Oc.pl. 100/2500/6000 S355J2+N	35 325,	kg
030	100550	Oc.pl. 100/3000/6000 S355J2+N	51 810,	kg
030	110506	Oc.pl. 110/2000/6000 S355J2+N	20 534,	kg
030	110511	Oc.pl. 110/2000/6000 S355J2+N x8	35,	kg
030	110515	Oc.pl. 110/2000/12000 S355J2+N	34 594,	kg
030	120502	Oc.pl. 120/2000/4000 S355J2+N	3 768,	kg
030	120505	Oc.pl. 120/2000/6000 S355J2+N	80 730,	kg
030	120506	Oc.pl. 120/2000/6000 S355J2+N x8	23 040,	kg
030	120508	Oc.pl. 120/2000/8000 S355J2+N	15 206,	kg
030	120510	Oc.pl. 120/2000/12000 S355J2+N	90 432,	kg
030	120516	Oc.pl. 120/2450/3800 S355J2+N	52 620,	kg
030	130401	Oc.pl. 130/2000/3200 S235JR+N	6 656,	kg
030	130402	Oc.pl. 130/2000/3570 S235JR+AR	7 426,	kg

030	130504	Oc.pl. 130/2000/5000 S355J2+N x8	2 080,	kg
030	130515	Oc.pl. 130/2000/11000 S355J2+N	7 960,	kg
030	140515	Oc.pl. 140/2000/10000 S355J2+N	24 178,	kg
030	140520	Oc.pl. 140/2000/10200 S355J2+N	22 420,	kg
030	150523	Oc.pl. 150/2000/9500 S355J2+N	5 753,	kg
030	150524	Oc.pl. 150/2000/9700 S355J2+N	3 869,	kg
030	150525	Oc.pl. 150/2000/9550 S355J2+N	2 426,	kg
030	160515	Oc.pl. 160/2000/9000 S355J2+N	9 992,	kg
030	170504	Oc.pl. 170/2000/4000 S355J2+N	10 676,	kg
030	170511	Oc.pl. 170/2000/2300 S355J2+N x8	6 256,	kg
030	180509	Oc.pl. 180/2000/8000 S355J2+N	45 216,	kg
030	180510	Oc.pl. 180/2000/7950 S355J2+N	5 511,	kg
030	190510	Oc.pl. 190/2000/7500 S355J2+N	60,	kg
030	199003	Oc.pl. 210/2000/6800 S355J2+N	52 753,	kg
030	199025	Oc.pl. 230/2000/6000 S355J2+N	12 941,	kg
030	199100	Oc.plechyc Czenstochowa	16 860,	kg
030	199101	Oc.plechyc Czenstochowa krívé	27 549,	kg
030	199205	Oc.plechyc KPN	3 304,	kg
030	200200	Pl.pozink. 0,55/1000/2000 DX51D	4 767,	kg
030	200209	Pl.pozink. 0,8/1250/2500 DX51D+Z275	9 853,	kg
030	200210	Pl.pozink. 1/1000/2000 DX51D+Z275	6 632,	kg
030	200211	Pl.pozink. 1/1250/2500 DX51D+Z275	14 725,	kg
030	200212	Pl.pozink. 1,25/1000/2000 DX51D+Z275	229,	kg
030	200214	Pl.pozink. 1,5/1000/2000 DX51D+Z275	4 766,	kg
030	200215	Pl.pozink. 1,5/1250/2500 DX51D+Z275	5 348,	kg
030	200216	Pl.pozink. 3/1250/2500 DX51D zatečené	4 442,	kg
030	200216	Pl.pozink. 2/1000/2000 DX51D+Z275	2 230,	kg
030	220300	Oc.pl.slza 3/1000/2000 S235JR+N	5 660,	kg
030	220350	Oc.pl.slza 3/1250/2500 S235JR+N	23 178,	kg
030	220360	Oc.pl.slza 3/1500/3000 S235JR+N	560,	kg
030	220400	Oc.pl.slza 4/1000/2000 S235JR+N	6 399,	kg
030	220420	Oc.pl. slza 4/1250/2500 S235JR+N	18 201,	kg
030	220450	Oc.pl. slza 4/1500/3000 S235JR+N	21 546,	kg
030	220455	Oc.pl.slza 4/1500/6000 S235JR+N	14 736,	kg
030	220500	Oc.pl.slza 5/1000/2000 S235JR+N	4 330,	kg
030	220525	Oc.pl.slza 5/1250/2500 S235JR+N	8 330,	kg
030	220552	Oc.pl.slza 5/1500/6000 S235JR+N	1 794,	kg
030	220610	Oc.pl.slza 6/1000/2000 S235JR+N	12 580,	kg
030	220625	Oc.pl.slza 6/1250/2500 S235JR+N	12 606,	kg



030	220650	Oc.pl. slza 6/1500/3000 S235JR+N	20 314, kg
030	220660	Oc.pl. slza 6/1500/6000 S235JR+N	25 512, kg
030	220810	Oc.pl. slza 8/1000/2000 S235JR+N	13 891, kg
030	220825	Oc.pl.slza 8/1250/2500 S235JR+N	13 900, kg
030	220830	Oc.pl.slza 8/1500/3000 S235JR+N	20 732, kg
030	220860	Oc.pl. slza 8/1500/6000 S235JR+N	15 434, kg
030	220905	Oc.pl.slza 10/1000/2000 S235JR+N	10 147, kg
030	220910	Oc.pl.slza 10/1500/3000 S235JR+N	30 150, kg
030	220925	Oc.pl.slza 10/1250/2500 S235JR+N	14 900, kg
030	220960	Oc.pl. slza 10/1500/6000 S235JR+N	4 627, kg
030	220970	Oc.pl. slza 12/1000/2000 S235JR+N	1 198, kg